IN THE CLAIMS:

15

Please amend the claims as indicated below.

- 1. (Currently Amended) A cache memory, comprising:

 a plurality of cache frames for storing information from main memory;

 and

 an adaptive frame leaking mechanism for leaking a number of said most
 - an adaptive frame locking mechanism for locking a number of said most recently used frames associated with a task.
- 10 2. (Original) The cache memory of claim 1, further comprising a memory for recording an identifier of the n most recently used frames.
 - 3. (Original) The cache memory of claim 2, wherein said identifier is a frame address.
 - 4. (Original) The cache memory of claim 2, wherein said identifier is a flag associated with said most recently used frames.
- 5. (Original) The cache memory of claim 2, wherein said identifier of the n
 most recently used frames is maintained for each of a plurality of tasks.
 - 6. (Original) The cache memory of claim 1, wherein said adaptive frame locking mechanism does not lock all the frames in a set concurrently.
- 7. (Original) The cache memory of claim 1, wherein said number of said most recently used frames identifies the most recently accessed 3n/2 frames on average.
 - 8. (Original) The cache memory of claim 1, wherein said adaptive frame locking mechanism includes three latches (a, b, and lock) for each frame of said cache.

- 9. (Original) The cache memory of claim 8, wherein said latch a is set when a frame is accessed and the value in latch a of a frame is transferred to latch b and latch a is reset after n accesses.
- 5 10. (Original) The cache memory of claim 8, wherein said adaptive frame locking mechanism sets a lock latch of a given frame, locking the frame, if either latch a or latch b is set when the lock signal is asserted.
- 11. (Original) The cache memory of claim 1, further comprising an adaptive frame unlocking mechanism that automatically unlocks frames that cause a performance degradation for a task.
 - 12. (Original) The cache memory of claim 11, wherein said adaptive frame unlocking mechanism includes a counter for monitoring a number of times a task experiences a frame miss.
 - 13. (Original) The cache memory of claim 1, wherein said cache is a two way set associative cache and said most recently used frames are identified by taking an inverse of a least recently used identifier.

14. (Original) The cache memory of claim 1, wherein said locking is performed if a first task is interrupted by a second task.

15. (Original) A method for locking frames in a cache memory, said method comprising the steps of:

storing information from main memory in frames of said cache memory; monitoring a number of most recently used frames; and

locking said number of said most recently used frames if a task is interrupted by another task.

15

20

25

- 16. (Currently Amended) The method of claim 16 15, wherein said monitoring step maintains a frame address of said most recently used frames.
- 17. (Currently Amended) The method of claim 16 15, wherein said monitoring step maintains a flag associated with said most recently used frames.
 - 18. (Currently Amended) The method of claim 16 15, wherein said monitoring step maintains an identifier of the n most recently used frames for each of a plurality of tasks.

10

- 19. (Original) The method of claim 15, wherein said locking step does not lock all the frames in a set concurrently.
- 20. (Original) The method of claim 15, wherein said number of said most recently used frames identifies the most recently accessed 3n/2 frames on average.
 - 21. (Original) The method of claim 15, further comprising the step of automatically unlocking frames that cause a significant performance degradation for a task.

20

- 22. (Original) The method of claim 21, wherein said step of unlocking further comprises the step of monitoring a number of times a task experiences a frame miss.
- 23. (Currently Amended) A cache memory device comprising:
- a memory element for storing information from main memory in frames of said cache memory;

means for monitoring a number of most recently used frames; and
means for locking said number of said most recently used frames if a task
is interrupted by another task.

30

25

- 24. (Original) The cache memory of claim 23, wherein said means for locking said frames does not lock all the frames in a set concurrently.
- 25. (Original) The cache memory of claim 23, further comprising means for unlocking said locked frames that automatically unlocks frames that cause a significant performance degradation for a task.
 - 26. (Original) The cache memory of claim 25, wherein said means for unlocking includes a counter for monitoring a number of times a task experiences a frame miss.

10

15

30

- 27. (Original) The cache memory of claim 23, wherein said cache is a two way set associative cache and said most recently used frames are identified by taking an inverse of a least recently used identifier.
- 28. (Original) The cache memory of claim 23, wherein said locking is performed if a first task is interrupted by a second task.
- 29. (Currently Amended) An integrated circuit, comprising:
 a cache memory having a plurality of cache frames for storing information from main memory; and

an adaptive frame locking mechanism for locking a number of said most recently used frames associated with a task.

- 25 30. (Original) The integrated circuit of claim 29, further comprising a memory for recording an identifier of the n most recently used frames.
 - 31. (Original) The integrated circuit of claim 29, further comprising an adaptive frame unlocking mechanism that automatically unlocks frames that cause a performance degradation for a task.

- 32. (Original) The integrated circuit of claim 29, wherein said locking is performed if a first task is interrupted by a second task.
- 33. (New) A cache memory device comprising:
- a memory element for storing information from main memory in frames of said cache memory device;

a monitor for monitoring a number of most recently used frames; and an adaptive frame locking mechanism for locking said number of said most recently used frames if a task is interrupted by another task.

10

- 34. (New) The cache memory device of claim 33, wherein said adaptive frame locking mechanism does not lock all the frames in a set concurrently.
- 35. (New) The cache memory device of claim 33, wherein said adaptive frame locking mechanism automatically unlocks frames that cause a significant performance degradation for a task.
- 36. (New) The cache memory device of claim 33, wherein said cache is a two way set associative cache and said most recently used frames are identified by taking an inverse of a least recently used identifier.